



REMEDY GUIDE • MUSHROOMS

How to choose mushroom powders on a crowded shelf

The market shelf is crowded with mushroom jars that lean on old herbal stories. This guide follows reishi and its companions from traditional pots to modern labs so you can judge sourcing, preparation and testing with care.



Cap and stem

Fruiting bodies often test higher in beta glucans than grain grown mycelium.



Water and alcohol

Simmering frees beta glucans, while spirits capture reishi style triterpenes.



Measured shares

A tested beta glucan percentage reveals more than polysaccharides or ratios.

CONTENTS

01	Caps and stems beside grain grown threads	05	Noticing cereal residue inside lab paperwork
02	Simmered water beside water and spirits	06	What thorough makers reveal and simmering mushroom coffee
03	Input ratios beside tested shares	07	The checklist
04	Fungal glucans beside total carbohydrate figures	08	Sources and further reading

A pot simmers on a winter stove while someone squints at a jar that promises ten to one strength. The kitchen shelf holds coffee blends and capsules, each borrowing language from old herbal practice. A Nature paper from 2017 reported that just five of 19 reishi lots matched what their packaging claimed. When the plant part, the preparation and the lab sheet become readable, careful choice replaces guesswork.

01

Caps and stems beside grain grown threads

A mushroom mycelium forms a hidden web of fine filaments under the ground. A fruiting body is the stalk and cap that lift into the air. Each portion holds fungal tissue, and specialists differ over the worth of mycelium. Some writers point to shared and complementary chemistry across both portions, while other voices prefer fruiting bodies for richer beta glucans and longer traditional use.

Farmed mycelium requires a food base like rice or oats. Filaments spread across that cereal, and early harvests may retain more cereal than fungus. Makers call the outcome myceliated grain biomass. A sound fruiting body extract is expected to display 15 to 40 percent beta glucans in dry weight, whereas myceliated grain biomass commonly displays below 5 percent beta glucans and above 40 percent starch.

The gap carries weight because total carbohydrates including polysaccharides comprise around 50 percent of dry fungal matter. Within a fruiting body formula, much of that carbohydrate may be fungal beta glucan. Follow a myceliated grain formula backward and much of it may be remaining food base. Packaging does not always clarify the contrast. Search Supplement Facts and the other ingredients list for fruiting body extract, mycelium, myceliated grain, substrate, brown rice, or oats.

Past practice belongs in this picture too. Fruiting bodies carry the deeper record in folk preparation and in reference material that laboratories use for identification. Longer history does not establish a stronger effect for any individual. It helps explain why many shoppers accept fruiting body as the starting point when beta glucan levels matter, and request further records when a formula foregrounds mycelium.

02

Simmered water beside water and spirits

Fungal cell walls consist largely of chitin, and plain milled powder leaves that barrier intact. The barrier keeps compounds enclosed. Without extraction, much of the powder moves through in a state that boiling or scientific procedures might otherwise open.

Hot water extraction steeps fungal material in heated water, usually across hours, to free water soluble constituents including beta glucans. The brew is then dried to powder. Dual extraction pairs hot water extraction with alcohol extraction, then merges both liquids into a single finished powder. Following harvest, dual extraction seeks water soluble beta glucans together with alcohol soluble constituents such as triterpenes.

Authorities diverge on when dual extraction becomes necessary. It is seen as relevant chiefly for reishi style triterpenes, and as essential for reishi and chaga and harmful or wasteful for turkey tail. The prudent view stays tied to species. For reishi, where triterpenes belong to the described profile, a dual extract holds evident logic. For species prized chiefly for beta glucans, hot water alone may suffice.

Either phrase alone does not establish potency. A package may state hot water extracted or dual extracted yet omit duration, temperature, solvent proportion, or measured constituent amounts. Treat such wording as an opening clue. Then inquire how much extract each serving supplies, which constituents were assayed, and whether the certificate reflects the batch at hand.

FROM THE EDITORS

Under the Dietary Supplement Health and Education Act, dietary supplements sit within the food category rather than the drug category. The U.S. Food and Drug Administration does not examine dietary supplements for safety or effectiveness before store shelves receive them. Brand language expresses intention, not agency review.

03

Input ratios beside tested shares

An extraction ratio like 8:1 records how much starting material entered compared with what emerged. Eight units of raw mushroom yielded one unit of finished extract. That ratio alone does not confirm active constituent density. A large ratio may indicate a concentrated extract or a method with modest yield, and the figure by itself cannot separate those cases.

A share linked to batch analysis answers density. Mushroom beta glucans comprise D glucose units joined by beta 1,3 bonds for straight chains and beta 1,6 bonds for branches, distinct from cereal beta glucans that use 1,3 and 1,4 and lack 1,6 branching. A package claiming 25 percent beta glucans, supported by a stated method and a lot specific certificate, communicates more than 8:1 by itself. The ratio narrates inputs. The share reports what persisted in measurable terms.

Loose descriptors possess no fixed definition. Phrases like standardized lacking a named constituent and quantity, or clinical strength lacking a serving and source, resolve neither issue. A trustworthy package identifies the part employed, the extraction kind, the extract quantity per serving, and the measured proportion of beta glucans or other named constituents. Where triterpenes appear as claims, as in certain reishi formulas, the package should list the share and the assay too.

Beta glucan assay stays challenging because procedures vary, spanning phenol sulphuric total carbohydrate procedures against Congo red, aniline blue, Megazyme and Glucatell methods. Separate procedures may produce separate figures for an identical powder. Hence method title, laboratory title, and date should accompany the share. Lacking those details, two formulas with near numbers cannot be contrasted with assurance.

04

Fungal glucans beside total carbohydrate figures

Starch counts as a polysaccharide, so elevated total polysaccharide values may mirror cereal starch instead of mushroom beta 1,3 and 1,6 glucans. That confusion lies at the heart of many labels. Total polysaccharides embrace both fungal beta glucans and alpha glucans from cereal starch. A formula raised on rice or oats may therefore present a lofty polysaccharide figure while holding scant fungal substance.

Pair two signals together. One signal is beta glucan proportion. A quality fruiting body extract measures 15 to 40 percent by dry weight. Values below 5 percent beta glucans imply thin or grain heavy substance. The other signal is starch or alpha glucan proportion. Values above 40 percent starch suggest myceliated grain biomass instead of extracted fruiting body. When a company prints only total polysaccharides, the starch issue remains unresolved.

WHAT THE LABEL SHOWS	WHAT IT CAN MEAN	WHAT TO ASK NEXT
Beta glucans 20 percent with method named	Quantified fungal glucans linked to an assay	Which lab, which lot, what date
Total polysaccharides 45 percent, no beta glucans	Blend perhaps mixing fungal glucans plus cereal starch	Proportion of beta glucans and starch apart
Beta glucans under 5 percent, starch over 40 percent	Probable myceliated grain biomass	Part employed, substrate, extraction kind
Ratio only, such as 10:1, no percentage	Starting quantity, not density	Assayed constituent amounts for this batch

Cereal residue does not always mean intentional filler powder. Frequently it is the food base itself, passed through drying and grinding. Ingredient lists pairing mycelium with rice, oats, or maltodextrin type carriers merit closer study of beta glucan and starch rows. A fruiting body extract should require no cereal accounting.

FROM THE EDITORS

A lab result describes a single batch, and label plus certificate detail supports fairer contrast. It does not establish uptake, steadiness across later batches, or a particular health result. Precise amount in any jar stays uncertain lacking a batch specific certificate, and pharmacokinetic papers address injected lentinan instead of orally taken beta glucan.

05

Noticing cereal residue inside lab paperwork

A Certificate of Analysis addresses one production lot, not an entire company. Begin at the top. When records matter, a Certificate of Analysis should match the package by lot number and carry a date inside the latest 12 to 24 months, while reports more than 2 years old are viewed as no longer mirroring present quality. When the jar lot and the paper lot diverge, the paper fails to portray the jar.

Then inspect the author. The lab behind a COA should stand as an independent accredited outside party, with ISO IEC 17025 accreditation serving as the benchmark. Internal documents serve process oversight, yet fair contrast relies on outside analysis. Title, accreditation, signature and date should show on the paper itself.

Next study the result grids. Identity verifies species and portion. Microbials, heavy metals, pesticides, mycotoxins and residual solvents address separate hazards from farm to finished powder. A full heavy metals grid should examine lead, mercury, arsenic and cadmium, with outcomes beneath USP 232 limits. Fungi can gather metals from earth, substrate and water, so a missing grid leaves a fundamental sourcing issue open.

Studying the carbohydrate rows

Locate beta glucans, alpha glucans or starch, and total polysaccharides on individual rows. Work out the plausible account. Elevated beta glucans alongside modest starch suit a fruiting body extract. Depressed beta glucans alongside elevated starch suit myceliated grain. Elevated total polysaccharides lacking a beta glucan row reveal little about fungal share. Record the procedure beside every row, because phenol sulphuric and dye binding or enzymatic procedures do not consistently align. Retain the sheet beside its lot number for later contrast.

06

What thorough makers reveal and simmering mushroom coffee

Reishi, lion's mane and cordyceps packaging each shoulder a separate evidentiary load. For reishi, bitter taste frequently indicates triterpenes, and makers asserting those constituents should display a triterpene profile and declare hot water or dual extraction. For lion's mane, smooth blending and everyday use framing appear often, so packaging should still declare fruiting body or mycelium, extract quantity per serving, and beta glucan share. For cordyceps, origin variation runs broad, spanning farmed mycelium against fruiting body and separate species names, so packaging should identify the starting material and performance language should remain apart from assay outcomes.

Mushroom coffee generally blends coffee with dried mushroom extract powder, among them lion's mane, chaga, reishi and cordyceps. Numerous reputable mushroom coffee mixtures contain between 1 and 3 grams of mushrooms in each serving. That quantity counts extract powder, not raw mushroom equivalent unless packaging declares otherwise. One to two cups forms a frequent sweet spot in company guidance, yet the helpful arithmetic stays individual. Sum mushroom grams per serving, confirm whether species and extraction appear by name, and monitor caffeine from every source through the day.

The FDA general guideline for healthy adults holds daily caffeine below 400 mg. A mushroom coffee combining regular coffee with extracts still supplies caffeine through the coffee portion. Decaf style mixtures supply less, though serving volume and cup number still control intake. People who are pregnant, breastfeeding, offering a formula to a child, using blood thinners or immune modulating medicines, or living with a chronic condition should stop and consult a

clinician before steady use, because long term safety records for those populations remain sparse. Whether a dual extract or hot water extract creates a separate perceived effect for a given person also stays undemonstrated.

To order three formulas, arrange identical fields for all. Portion employed and substrate. Extraction kind and extract grams per serving. Beta glucan share with procedure, plus starch where supplied. Lot matched certificate with date and independent ISO IEC 17025 laboratory. Heavy metals beneath USP 232 limits. The formula with fullest and freshest records generally places first, even when its ratio appears lower.

07

The checklist

-
- ☐ Favor fruiting body extract when beta glucans form the aim
 - ☐ Inspect for food base terms like rice or oats
 - ☐ Record hot water or dual extraction according to species
 - ☐ View ratio as starting quantity, not evidence of potency
 - ☐ Seek beta glucan share with procedure identified
 - ☐ Dismiss total polysaccharides by themselves as evidence
 - ☐ Mark below 5 percent beta glucans or above 40 percent starch
 - ☐ Align COA lot number with the package
 - ☐ Accept COAs dated inside 12 to 24 months
 - ☐ Verify independent ISO IEC 17025 laboratory
 - ☐ Verify lead, mercury, arsenic and cadmium beneath USP 232 limits
 - ☐ Tally mushroom grams per coffee serving between 1 to 3 g
 - ☐ Hold total caffeine below 400 mg each day
 - ☐ Consult a clinician around pregnancy, children, blood thinners or immune medicines
-

Sources and further reading

- Mycelium vs. Fruiting Bodies of Edible Fungi—A Comparison of Metabolites · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov/)
- Dual Extraction vs Hot Water Extraction: Methods, Differences and Marketing Claims Explained · topshelfmushrooms.com
- Edible Mushrooms and Beta-Glucans: Impact on Human Health · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov/)
- How to Read a Certificate of Analysis (COA) for Mushroom · shroomap.com
- Hot-Water vs. Dual Mushroom Extracts: What the Terms Mean · topshelfmushrooms.com
- Screening of beta-glucan contents in commercially cultivated and wild growing mushrooms · sciencedirect.com

For information only, not medical advice. Herbs and supplements can interact with medicines and are not right for everyone, especially in pregnancy; check with a doctor or pharmacist before you start one.



WRITTEN BY

Kristina Patel

Kristina produces the interviews at Root to Bottle: the research, the question lists, the follow-ups. She grew up on her grandmother's turmeric milk and still asks every founder where their plant was grown and who taught them to use it.
