




REMEDY GUIDE · TONICS

Protein powder without the label confusion

You will learn to read a protein tub like an herbalist reads a tincture label, from source to test page. By the end you will be able to pick one powder, check its purity, and set a single sensible serving.

- **Protein share**
Divide protein grams by serving grams to compare any two tubs fairly.
- **Nitrogen test**
Total nitrogen counts all sources, so ask for bound and free amino acids.
- **Lot papers**
Match the lot number, method, lab name, and numeric results before buying.

By Kristina Patel · Updated Sep 29, 2026 · 10 min read

CONTENTS

01	Know concentrates, isolates and plant blends	05	Use outside checks and read certificates
02	Match protein grams to serving weight	06	Keep one daily serving inside varied meals
03	Read sweeteners and the amino line	07	The checklist
04	Catch amino spiking in lab pages	08	Sources and further reading

By the end you will be able to compare two protein tubs on paper, ask for the right lab pages, and settle on one steady serving that fits meals already cooked at home.

01

Know concentrates, isolates and plant blends

Whey begins as whey, the thin milk fluid left behind after cheese is made. That fluid passes through filters and is then dried by spray into a powder. The degree of filtration determines which other parts remain alongside protein in the finished powder.

Whey protein concentrate holds 20% to 85% protein along with different amounts of fat, lactose and minerals, according to a narrative review in PMC. Following the powder to its dairy origin shows whey protein isolate holds 90% to 95% protein with very little fat, lactose and mineral content, according to the same review. Isolate carries less lactose than concentrate because processing differs. Another option, hydrolysate, arrives split into shorter chains, which alters performance in liquid and wording on labels.

Plant based powders begin with other crops and other plants, commonly soy, pea, rice, or a mixture. Of all lone plant proteins, only soy protein powder rates as complete, while blends of two or more plants can supply every essential amino acid. Whey counts as a complete protein with all nine essential amino acids plus leucine, isoleucine and valine, the three branched chain amino acids commonly called BCAAs.

Origin by itself does not decide quality. Plant and whey powders may support muscle growth in similar ways when protein and BCAAs per serving match, so checks for purity carry more weight than origin alone. You can follow along below as I walk you through that comparison on paper.

A standard scoop of whey or plant based powder usually offers 20 to 30 grams of protein in each serving. A sound powder supplies at least 20 to 30 grams of protein and 6 to 15 grams of essential amino acids, including at least 1 to 3 grams of leucine, per serving. Studies point to 20 to 25 grams of good protein as linked with support for muscle protein synthesis in most adults. Hold those spans in mind when a scoop appears large and the protein figure appears larger.

02

Match protein grams to serving weight

The usual error involves reading protein grams while skipping serving grams. FDA Nutrition Facts guidance says all nutrient amounts including calories relate to the serving size, and serving size reflects what people usually eat or drink, not advice. Start with the serving size in grams, then divide the protein grams by those serving grams. That ratio lets you weigh tubs against each other even when their scoops differ.

Do the share check

A 30 gram scoop carrying 24 grams of protein equals 80 percent protein. A 45 gram scoop carrying 25 grams of protein equals about 56 percent protein. The second tub might taste smoother or blend thicker, because flavouring, sweeteners, gums, creamers and added carbohydrate increase weight without increasing intact protein. Large scoops commonly reduce protein percentage even when front panel figures seem strong.

Calories offer a second check. Protein gives 4 calories per gram and fat gives 9 calories per gram to check total calories against protein, fat and carbohydrate. A powder listing 20 to 30 grams of protein will commonly land near 100 to 150 calories when fat and carbohydrate stay modest, though added oils, sugars and serving size move the total. When calories climb high while protein remains flat, inspect the other ingredients line for what occupies the scoop.

The first ingredient ought to name a defined protein, such as whey protein isolate, whey protein concentrate, milk protein isolate, soy protein isolate, pea protein, or a stated blend with shares. Unclear phrases such as protein blend without amounts conceal quality because the share of each source remains unknown. A buyer cooking for a household needs that line most, since lactose tolerance, soy use and milk allergy management turn on exact names.

FROM THE EDITORS

Protein share is kitchen arithmetic, not a health claim. It reveals how much of the scoop is true protein and how much is flavour, sweetener, thickener and other carriers. Use it to weigh tubs against each other, then look to amino acids and lab pages for the rest.

03

Read sweeteners and the amino line

Sweeteners influence taste and tolerance, not protein content. Some tubs contain sugar, some contain stevia or monk fruit, some contain sucralose or acesulfame potassium. The Supplement Facts panel lists sugars and the other ingredients line reveals the system. Select the system the

household will use consistently, then return to protein quality.

The amino acid line is where true quality appears. Seek 5 grams or more of BCAAs, 2 to 3 grams of leucine, and all nine essential amino acids shown with amounts. Good whey should show near 11 percent leucine, near 2.7 grams in a 25 gram serving, and near 25 percent BCAAs, near 6 grams. Plant blends deserve the same care, since single sources apart from soy may fall low in one essential amino acid and rely on the blend to fill the gap.

Added taurine, glycine or creatine beside a high protein number deserves a closer look. Amino spiking adds cheap free amino acids or nitrogen compounds such as taurine or creatine to raise nitrogen based protein readings without adding intact protein. Those ingredients stay visible when they appear in the ingredient list, yet the effect on the protein number is easy to overlook. No published universal cutoff states how large a free amino acid share proves spiking, so brands must set formula specific limits.

Price and texture can suggest a check, not a verdict. A very low price per gram of claimed protein, a thin mouthfeel that still claims isolate level protein, or a label with added amino acids high in the list all invite a look at the lab section below. The question to carry forward stays simple. Seek the same sample result for total nitrogen, bound amino acids and free amino acids from an accredited lab.

04

Catch amino spiking in lab pages

Protein claims rest upon nitrogen tests. Kjeldahl AOAC 981.10 and Dumas combustion AOAC 991.20 measure total nitrogen and multiply by a factor, usually 6.25, to estimate protein. U.S. labeling rules at 21 CFR 101.9©(7) allow protein as 6.25 times nitrogen by AOAC methods unless another official factor applies, with 6.38 listed for dairy protein.

The limit rests inside the method. These tests count every bit of nitrogen, whether it comes from intact whey chains, free amino acids, or other nitrogen compounds. A tub can therefore clear a nitrogen test while holding less intact protein than the number suggests. That gap is why a bound amino acid sum plus free amino acid test is needed beside total nitrogen.

Request a same sample panel when you suspect spiking. Total nitrogen provides the label estimate. Bound amino acids, measured after hydrolysis, show protein formed into chains. Free amino acids reveal what was added or left unbound. You cannot know if a specific lot is spiked without that same sample panel of total nitrogen, bound amino acids and free amino acids from an accredited lab. One page alone seldom settles it.

Treat the whey markers as a guide, not a rule. Typical leucine near 11 percent and BCAAs near 25 percent in quality whey offer a reference point for a full amino acid profile. A profile far below those shares, or a large free amino acid share relative to the brand formula limit, asks for an

explanation from the maker. The paperwork should name the grower or dairy stream where possible, the batch or lot number, the method, and the lab, so the result can be linked to the tub in hand.

05

Use outside checks and read certificates

Outside certification does not examine every scoop, yet it creates a paper trail that a bare claim cannot. NSF ANSI 173 addresses dietary supplement contents and contaminants under a published standard. The NSF Certified for Sport directory shows which products and lots hold that sport certification at the time of search. Informed Choice and USP Verified seals mark separate programs with their own testing and listing rules. To search a product and lot before buying, enter the exact product name on the directory, match the lot where shown, and save the page.

Next ask for the certificate of analysis for the lot. A strong certificate of analysis lists product name, batch or lot number, specific method such as USP, AOAC, HPLC or ICP MS, named ISO/IEC 17025 lab, numeric results with units and basis, and pass or fail limits. Heavy metal entries should show pass or fail limits and results with a clear basis in ppm, microgram per gram or per serving, for lead, cadmium, mercury and arsenic. Microbiology entries should cover total plate count, yeast and mold, and pathogens with limits suited to the product matrix.

What exact lead, cadmium and microbial limits a specific brand uses cannot be stated here, since limits shift by specification and retailer. Ask the brand to place the specification beside each result. Red flags include PASS without numbers, a metals only report when microbes are missing, no method, no lab name, no lot match, or results without units and basis. A complete page may still leave questions, and an incomplete page settles none.

Context supports reading metals without alarm or dismissal. In reviews, plant powders often carry more heavy metals than animal powders, though a risk assessment found hazard indexes under 1 and predicted blood lead under guidance at one or three servings per day. A PMC human health risk assessment found every modeled hazard index under 1 for arsenic, cadmium, mercury and lead at one or three daily servings, with whey powders showing the lowest values. That same assessment found all modeled adult blood lead levels under the CDC guidance value of 5 micrograms per deciliter. Those modeled results cover the studied products and intakes, not a promise about any tub.

Long term effects remain open in places. A narrative review connects whey to possible liver, kidney, gut, acne and bone effects in some settings, while other researchers refute liver and kidney harm, leaving long term effects open. Reviews urge more research on chronic high dose whey use in sedentary people and sensitive groups. If you live with kidney or liver disease, carry a history of severe acne, or share your home with an older parent, seek guidance from a professional and keep powder as one part of food, not the base.

Keep one daily serving inside varied meals

Use powder to support whole foods such as chicken, fish, tofu, eggs and legumes, not as the main source. Most people should aim for 0.6 to 0.9 grams of protein per pound 1.4 to 2.0 grams per kg per day, or 20 to 40 grams per meal. How much powder a person needs daily stays personal, since needs vary by weight, age, diet, training, and kidney or liver health.

A steady path is one sensible serving within food already eaten. Count the protein on your plate first, then use powder only to fill the gap on training days or low appetite days. Stay with the same product and the same scoop for a month so the household can judge tolerance, taste and cost per gram of protein. When you bring a tub home, save the lot number and test page with the receipt.

Caution belongs with specific readers. Older adults often do best with steady protein across meals plus a clinician check on kidney function before raising intake. People living with kidney or liver conditions need medical guidance before steady regular use. People prone to acne or gut upset need a slower trial and care around lactose, since concentrate carries more lactose than isolate. When doubt remains, a dietitian or physician can set your daily target and look over the label and certificate with you.

07

The checklist

-
- ☐ Record serving grams and protein grams, then divide for protein share
-
- ☐ Verify first ingredient names the protein and its form
-
- ☐ Confirm 20 to 30 g protein and 100 to 150 calories suit the serving
-
- ☐ Seek all nine essential amino acids with amounts
-
- ☐ So for recovery, seek 5 g or more BCAAs and 2 to 3 g leucine.
-
- ☐ Notice added taurine, glycine or creatine near high protein
-
- ☐ Check for NSF Certified for Sport, Informed Choice or USP listings before you buy.
-
- ☐ Ask for lot matched certificate with method and lab named
-
- ☐ Insist on numeric metals results for lead, cadmium, mercury, arsenic
-
- ☐ Ask for micro results covering plate count, yeast, mold and pathogens before you buy
-
- ☐ Decline PASS without numbers, units, basis or limits
-
- ☐ Fix one daily serving and total protein from foods first
-

08

Sources and further reading

- Plant-Based Protein vs. Whey Protein: Which Is Better? · [healthline.com](https://www.healthline.com)
- How Protein Powder Brands Verify Protein Claims and Investigate Concerns Amino Spiking · [bscg.org](https://www.bscg.org)
- A human health risk assessment of heavy metal ingestion among consumers of protein powder supplements · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov)
- Good vs. Bad Supplement CoAs: How to Read a Certificate of Analysis (and Fix Yours) — Blue Ocean Regulatory Inc. · [blueoceanregulatory.com](https://www.blueoceanregulatory.com)
- Investigating the Health Implications of Whey Protein Consumption: A Narrative Review of Risks, Adverse Effects, and Associated Health Issue · [pmc.ncbi.nlm.nih.gov](https://pubmed.ncbi.nlm.nih.gov)
- How to Understand and Use the Nutrition Facts Label · [fda.gov](https://www.fda.gov)

For information only, not medical advice. Herbs and supplements can interact with medicines and are not right for everyone, especially in pregnancy; check with a doctor or pharmacist before you start one.



WRITTEN BY

Kristina Patel

Kristina produces the interviews at Root to Bottle: the research, the question lists, the follow-ups. She grew up on her grandmother's turmeric milk and still asks every founder where their plant was grown and who taught them to use it.
